

SAFETY DATA SHEET

1. Identification

Product identifier MAGNESIUM, METAL TURNINGS, REAGENT

Other means of identification

Product code 1167

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name AddressGFS Chemicals, Inc.
P.O. Box 245
Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Flammable solids Category 1

Pyrophoric solids Category 1
Self-heating substances and mixtures Category 1
Substances and mixtures which, in contact Category 1

with water, emit flammable gases

Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Flammable solid. Catches fire spontaneously if exposed to air. Self-heating; may catch fire. In

contact with water releases flammable gases which may ignite spontaneously.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not allow contact with

air. Do not allow contact with water. Handle under inert gas. Protect from moisture. Handle and store contents under inert gas. Protect from moisture. Keep cool. Protect from sunlight.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting

equipment. Wash thoroughly after handling. Wear protective gloves/eye protection/face

protection.

Response IF ON SKIN: Brush off loose particles from skin and immerse in cool water. IF ON SKIN: Wash with

plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell. In case of

fire: Use dry chemical powder for extinction.

Storage Store in a dry place. Store in a closed container. Maintain air gap between stacks/pallets. Store

away from other materials. Store contents under appropriate liquid or inert gas.

DisposalDispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: MAGNESIUM, METAL TURNINGS, REAGENT

1167 Version #: 02 Revision date: March-31-2016 Issue date: July-17-2015 1 / 8

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
MAGNESIUM		7439-95-4	100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Rinse with water.

Get medical attention if irritation develops and persists.

Eve contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. **Most important** Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemical powder. Dry sand. Carbon dioxide (CO2). Dry chemical, soda ash, lime or DRY

Unsuitable extinguishing

General information

media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Do not get water inside container.

Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards Catches fire spontaneously if exposed to air. Flammable solid. Self-heating; may catch fire. In

contact with water releases flammable gases which may ignite spontaneously.

6. Accidental release measures

Material name: MAGNESIUM, METAL TURNINGS, REAGENT

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Use only non-sparking tools. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Do not get water on spilled substance or inside containers. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Neutralize with lime or soda ash. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

1167 Version #: 02 Revision date: March-31-2016 Issue date: July-17-2015 2/8

7. Handling and storage

Precautions for safe handling Do not allow contact with air. Open container carefully and only in a dry, oxygen-free or inert

atmosphere. Keep away from any possible contact with water, because of violent reaction and possible flash fire. Handle under inert gas. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke.

Explosion-proof general and local exhaust ventilation. Keep cool. Wear appropriate personal

protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities Material should be stored under an inert atmosphere. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store in a dry place. Store away from other materials. Never allow product to get in contact with water during storage. Maintain air gap between stacks/pallets. Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid. **Form** Solid.

Color Silver or grey Odor Odorless. **Odor threshold** Not available. Not available. pН 1203.8 °F (651 °C) Melting point/freezing point

Initial boiling point and

boiling range

2012 °F (1100 °C)

932.0 °F (500.0 °C) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Flammable solid. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapor pressure

Material name: MAGNESIUM, METAL TURNINGS, REAGENT

1167 Version #: 02 3/8 Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Reacts. **Partition coefficient** Not available.

(n-octanol/water)

883 °F (472.78 °C) **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 1.74 g/cm3 estimated at 20 °C

Dvnamic viscosity 1.25 mPa.s **Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Combustible IIIB Flash point class

Molecular formula Ma

Molecular weight 24.30 g/mol **Oxidizing properties** Not oxidizing Specific gravity 1.74 at 20 °C

Surface tension 563 mN/m (68 °F (20 °C))

10. Stability and reactivity

Reactivity In contact with water releases flammable gas. Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Exposure to moisture. Exposure to air.

Contact with incompatible materials.

Incompatible materials Air. Strong oxidizing agents. Combustible material. **Hazardous decomposition** No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

US OSHA Hazard Categories (1)

Material name: MAGNESIUM, METAL TURNINGS, REAGENT

Not regulated.

1167 Version #: 02 Revision date: March-31-2016 Issue date: July-17-2015 4/8 **US OSHA Hazard Categories (10)**

Not regulated.

US OSHA Hazard Categories (2)

Not regulated.

US OSHA Hazard Categories (3)

Not regulated.

US OSHA Hazard Categories (4)

Not regulated.

US OSHA Hazard Categories (5)

Not regulated.

US OSHA Hazard Categories (6)

Not regulated.

US OSHA Hazard Categories (7)

Not regulated.

US OSHA Hazard Categories (8)

Not regulated.

US OSHA Hazard Categories (9)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

Not classified.

Not classified.

- single exposure

Aspiration hazard

Specific target organ toxicity

- repeated exposure

Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Test Results Species

MAGNESIUM (CAS 7439-95-4)

Aquatic

LC50 Crustacea Scud (Gammarus lacustris) 64.7 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. **Mobility in soil** No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Consult authorities before disposal. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

5/8

disposal.

14. Transport information

DOT

UN number UN1869

Magnesium or Magnesium alloys with more than 50 percent magnesium in pellets, turnings or **UN proper shipping name**

ribbons

Material name: MAGNESIUM, METAL TURNINGS, REAGENT 1167 Version #: 02

^{*} Estimates for product may be based on additional component data not shown.

Transport hazard class(es)

Class 4.1 **Subsidiary risk** Label(s) 4.1 **Packing group** III

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions A1, IB8, IP3, T1, TP33

Packaging exceptions 151 Packaging non bulk 213 Packaging bulk 240

IATA

UN number UN1869

UN proper shipping name Magnesium in pellets, turnings or ribbons

Transport hazard class(es)

Class 4.1 **Subsidiary risk** Packing group III**Environmental hazards** No. **ERG Code** 3L

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1869

MAGNESIUM or MAGNESIUM ALLOYS with more than 50% magnesium in pellets, turnings or **UN proper shipping name**

ribbons

Transport hazard class(es)

Class 4.1 **Subsidiary risk Packing group** III **Environmental hazards**

Marine pollutant No. **EmS** F-G, S-G

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



Material name: MAGNESIUM, METAL TURNINGS, REAGENT

1167 Version #: 02 6/8

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US OSHA Hazard Categories (1)

Not regulated.

US OSHA Hazard Categories (2)

Not regulated.

US OSHA Hazard Categories (3)

Not regulated.

US OSHA Hazard Categories (4)

Not regulated.

US OSHA Hazard Categories (5)

Not regulated.

US OSHA Hazard Categories (6)

Not regulated.

US OSHA Hazard Categories (7)

Not regulated.

US OSHA Hazard Categories (8)

Not regulated.

US OSHA Hazard Categories (9)

Not regulated.

US OSHA Hazard Categories (10)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

MAGNESIUM (CAS 7439-95-4)

US. New Jersey Worker and Community Right-to-Know Act

MAGNESIUM (CAS 7439-95-4)

US. Pennsylvania Worker and Community Right-to-Know Law

MAGNESIUM (CAS 7439-95-4)

US. Rhode Island RTK

Not regulated.

1167 Version #: 02 Revision date: March-31-2016 Issue date: July-17-2015 7/8

Material name: MAGNESIUM, METAL TURNINGS, REAGENT

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date July-17-2015 **Revision date** March-31-2016

Version # 02

Disclaimer GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

1167 Version #: 02 Revision date: March-31-2016 Issue date: July-17-2015 8 / 8

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).