

SAFETY DATA SHEET

1. Identification

Product identifier SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

Other means of identification

Product code 1796

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
800 Kaderly Drive
Columbus, OH 43228

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com E-mail service@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1
Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements





Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. May cause damage to organs through

prolonged or repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear eye protection/face

protection. Wear protective gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Storage Store away from incompatible materials. Keep container tightly closed.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 6.34% of the mixture consists of component(s) of unknown acute oral toxicity. 6.34% of the

mixture consists of component(s) of unknown acute dermal toxicity. 6.34% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 6.34% of the mixture

consists of component(s) of unknown long-term hazards to the aquatic environment.

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

1796 Version #: 02 Revision date: March-26-2018 Issue date: December-11-2013 1 / 8

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	93.67
NITRIC ACID		7697-37-2	3 - < 5
SAMARIUM NITRATE		13759-83-6	2.96

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

pain. Prolonged exposure may cause chronic effects.

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed **Indication of immediate**

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and

medical attention and special Symptoms may be delayed.

treatment needed

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

General information

media

Use extinguishing agent suitable for type of surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions **Specific methods**

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Neutralize small amounts with sodium bicarbonate or lime and flush to sewer with large amounts of water. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

Do not breathe mist or vapor. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

1796 Version #: 02 2/8 Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
--	-------------------

Components	Туре	Value	
NITRIC ACID (CAS 7697-37-2)	PEL	5 mg/m3	
		2 ppm	
US. ACGIH Threshold Limit Va	alues		
Components	Туре	Value	
NITRIC ACID (CAS 7697-37-2)	STEL	4 ppm	
•	TWA	2 ppm	
US. NIOSH: Pocket Guide to O	Chemical Hazards		
Components	Туре	Value	
NITRIC ACID (CAS 7697-37-2)	STEL	10 mg/m3	
,		4 ppm	
	TWA	5 mg/m3	
		2 ppm	

Biological limit values

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide evewash

station. Eye wash fountain and emergency showers are recommended.

No biological exposure limits noted for the ingredient(s).

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with acid gas

cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear. **Physical state** Liquid. **Form** Liquid. Color Colorless. Odor Odorless. **Odor threshold** Not available. Not available. Melting point/freezing point < 32 °F (< 0 °C) Initial boiling point and > 212 °F (> 100 °C) boiling range Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

1796 Version #: 02 Revision date: March-26-2018 Issue date: December-11-2013 3 / 8

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Not available.

аррсі (/

Explosive limit - lower

(%)

Explosive limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Miscible
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 1.03 g/cm3 estimated

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile > 95 %

Specific gravity 1.03 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

May include oxides of nitrogen.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation.

Skin contactCauses skin irritation. **Eye contact**Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results

SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

Acute Inhalation

LC50 Mouse 3110 mg/l

1796 Version #: 02 Revision date: March-26-2018 Issue date: December-11-2013 4 / 8

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

Components Species Test Results

NITRIC ACID (CAS 7697-37-2)

Acute Inhalation

LC50 244 mg/l, 30 Minutes Mouse

67 mg/l, 4 Hours

Rat 334 mg/l, 30 Minutes

> 244 mg/l, 30 Minutes 138 mg/l, 30 Minutes

65 mg/l, 4 Hours

Skin corrosion/irritation Causes skin irritation. May be irritating to the skin.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
SAMARIUM, 10,000 p	pm ICP STANDARD	SOLUTION	
Aquatic			
Crustacea	LC50	Daphnia	8450 mg/l, 48 Hours
Fish	LC50	Fish	4300 mg/l, 48 Hours
Components		Species	Test Results
NITRIC ACID (CAS 76	597-37-2)		
Aquatic			
Crustacea	LC50	Cockle (Cerastoderma edule)	330 - 1000 mg/l, 48 hours
		Green or Europeon shore crab (Carcinus maenas)	180 mg/l, 48 hours
Fish	LC50	Starfish (Asterias rubens)	100 - 330 mg/l, 48 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available. Mobility in soil No data available.

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

1796 Version #: 02 5/8

^{*} Estimates for product may be based on additional component data not shown.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations. Neutralize and flush solution into sewer connected to wastewater treatment system in compliance with

applicable laws and regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID RQ = 29586 LBS)

Transport hazard class(es)

Class 8 **Subsidiary risk** Label(s) 8 **Packing group** TTT

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user

IB3, T7, TP1, TP28 Special provisions

Packaging exceptions 154 Packaging non bulk 203 Packaging bulk 241

IATA

UN number UN3264

UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID)

Transport hazard class(es)

Class 8 **Subsidiary risk Packing group** III**Environmental hazards** No. **ERG Code**

Special precautions for

Other information

user

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

Transport hazard class(es)

Class 8 **Subsidiary risk** Packing group TTT **Environmental hazards**

Marine pollutant No. **EmS** F-A, S-B

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

1796 Version #: 02 Revision date: March-26-2018 Issue date: December-11-2013 6/8

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

NITRIC ACID (CAS 7697-37-2)

Listed.

SARA 304 Emergency release notification

NITRIC ACID (CAS 7697-37-2)

1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
NITRIC ACID	7697-37-2	1000	1000			

Nο **SARA 311/312**

SARA 313 (TRI reporting)

Hazardous chemical

Chemical name	CAS number	% by wt.
NITRIC ACID	7697-37-2	3 - < 5
SAMARIUM NITRATE	13759-83-6	2.96

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

NITRIC ACID (CAS 7697-37-2)

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

1796 Version #: 02 7/8

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

NITRIC ACID (CAS 7697-37-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Toxic Chemical Substances (TCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue dateDecember-11-2013Revision dateMarch-26-2018

Material name: SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION

Version # 02

DisclaimerThe information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

1796 Version #: 02 Revision date: March-26-2018 Issue date: December-11-2013 8 / 8