

SAFETY DATA SHEET

1. Identification

Product identifier SODIUM SULFIDE, 90%, TECHNICAL GRADE

Other means of identification

Product code 5666 CAS number 1313-84-4

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name GFS Chemicals, Inc.
Address P.O. Box 245
Powell, OH 43065
United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com E-mail service@gfschemicals.com

Emergency phone Emergency Assistance

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 3

Acute toxicity, dermal Category 3
Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1
Hazardous to the aquatic environment, acute Category 1

Chemtrec 800-424-9300

Environmental hazards Hazardous to the aquatic environment, acute 0

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes

serious eye damage. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release

to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If swallowed: Rinse

mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Take off immediately all contaminated clothing and wash it before reuse. Collect

spillage.

Storage Store in a dry place. Store in a closed container. Store locked up. Store at temperatures not

exceeding 25°C / 77°F. Keep cool. Protect from moisture.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE

5666 Version #: 01 Revision date: Issue date: March-10-2017 1 / 8

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Contact with acids liberates toxic gas.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%	
SODIUM SULFIDE		1313-84-4	100	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. **Inhalation**

Skin contact Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at

least 15 minutes. Call a physician or poison control center immediately. Chemical burns must be

treated by a physician. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use

mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid

of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important

symptoms/effects, acute and

delayed

Ingestion

Burning pain and severe corrosive skin damage. Causes serious eve damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water spray. Foam. Dry powder.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Use water spray to cool unopened containers.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Avoid dust formation. This product is miscible in water. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Dike the spilled material, where this is possible. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE 5666 Version #: 01 Revision date: Issue date: March-10-2017 2/8

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Keep in air-tight containers- material is hygroscopic.

Conditions for safe storage,

including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Protect from moisture.

8. Exposure controls/personal protection

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. In case of insufficient ventilation, wear suitable respiratory equipment. Dust &

vapor respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Crystalline. Solid.

Color White.

Odor Rotten-egg like. **Odor threshold** Not available. pН Not available.

Melting point/freezing point 2156 °F (1180 °C) Anhydrous salt

Initial boiling point and

boiling range

Not available.

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure Not available. Vapor density Not available.

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE

5666 Version #: 01 Revision date: Issue date: March-10-2017 3/8 **Relative density** Not available.

Solubility(ies)

Solubility (water) 32.2 % at 10 °C **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature 1688 °F (920 °C) When heated to decomp emits toxic fumes of sulfur oxides and disodium oxide.

Viscosity Not available.

Other information

Density 1.43 g/cm3
Explosive properties Not explosive.

Molecular formula Na2S.9H2O

Molecular weight 240.18
Oxidizing properties Not oxidizing.

Specific gravity 1.43 at 16 °C

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityThe substance is hygroscopic and will absorb water by contact with the moisture in the air.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Exposure to moisture. Avoid temperatures exceeding the decomposition temperature. Contact with

incompatible materials. The substance is hygroscopic and will absorb water by contact with the

moisture in the air.

Incompatible materials Acids. Strong oxidizing agents.

Hazardous decomposition

products

Toxic hydrogen sulfide gas. strongly hygroscopic

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Toxic in contact with skin. Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Toxic if swallowed. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity Toxic in contact with skin. Toxic if swallowed.

Product Species Test Results

SODIUM SULFIDE (CAS 1313-84-4)

Acute Oral

LD50 Mouse 205 mg/kg
Rat 208 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer. **Skin sensitization** May cause irritation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE

5666 Version #: 01 Revision date: Issue date: March-10-2017 4 / 8

^{*} Estimates for product may be based on additional component data not shown.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

US OSHA Hazard Categories (1)

Not regulated.

US OSHA Hazard Categories (10)

Not regulated.

US OSHA Hazard Categories (2)

Not regulated.

US OSHA Hazard Categories (3)

Not regulated.

US OSHA Hazard Categories (4)

Not regulated.

US OSHA Hazard Categories (5)

Not regulated.

US OSHA Hazard Categories (6)

Not regulated.

US OSHA Hazard Categories (7)

Not regulated.

US OSHA Hazard Categories (8)

Not regulated.

US OSHA Hazard Categories (9)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results	
SODIUM SULFIDE (CA	S 1313-84-4)			
Aquatic				
Crustacea	EC50	Daggerblade grass shrimp (Palaemonetes 0.3 - 0.51 mg/l, 48 hours pugio)		
Fish	LC50	Guppy (Poecilia reticulata)	7.7 - 29.1 mg/l, 96 hours	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

Bioaccumulative potentialNo data available. **Mobility in soil**No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE

5666 Version #: 01 Revision date: Issue date: March-10-2017 5 / 8

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN1849

Sodium sulfide, hydrated with not less than 30 percent water **UN proper shipping name**

Transport hazard class(es)

8 Class **Subsidiary risk** Label(s) 8 **Packing group** ΙΙ

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB8, IP2, IP4, T3, TP33 **Packaging exceptions** 154 Packaging non bulk 212 Packaging bulk 240

IATA

UN number UN1849

UN proper shipping name Sodium sulphide, hydrated with 30% or more water

Transport hazard class(es)

Class 8 **Subsidiary risk Packing group** II**Environmental hazards** No. **ERG Code** 8L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Allowed with restrictions.

aircraft

Other information

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1849

UN proper shipping name SODIUM SULPHIDE, HYDRATED with not less than 30% water, MARINE POLLUTANT

Transport hazard class(es) Class

8 **Subsidiary risk Packing group** II

Environmental hazards

Marine pollutant Yes **EmS** F-A, S-B

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

DOT



5666 Version #: 01 Revision date: Issue date: March-10-2017 6/8

IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US OSHA Hazard Categories (1)

Not regulated.

US OSHA Hazard Categories (2)

Not regulated.

US OSHA Hazard Categories (3)

Not regulated.

US OSHA Hazard Categories (4)

Not regulated.

US OSHA Hazard Categories (5)

Not regulated.

US OSHA Hazard Categories (6)

Not regulated.

US OSHA Hazard Categories (7)

Not regulated.

US OSHA Hazard Categories (8)

Not regulated.

US OSHA Hazard Categories (9)

Not regulated.

US OSHA Hazard Categories (10)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE

Not listed.

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulationsCalifornia Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is

not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date March-10-2017

Version # 01

Disclaimer The information given is designed only as a guidance for safe handling, use, processing, storage

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available

Material name: SODIUM SULFIDE, 90%, TECHNICAL GRADE

5666 Version #: 01 Revision date: Issue date: March-10-2017 8 / 8